

YKA3722MA

16

60000 /

200Kpps
100hrs

/
0.7A/ 7.0A/ 16
7.0A

AC110-220V



YKA3722MA

80x146x200mm³

5

MF

YKA3722MA
86~110mm

110V~220V

7.0A

60000 /

VAC	110	100	220
A	0.7	-	5.2
mA		15	
KHZ	-	-	200
uS	2.5	-	-

1. STOP/Im

20%~80%

2. RUN/Im


R-1	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
Im(A)	0.7	1.1	1.5	2.0	2.4	2.8	3.2	3.6	4.0	4.5	5.0	5.4	5.8	6.2	6.6	7.0


YKA3722MA

SK	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
/	60000	30000	20000	12000	10000	6000	5000	4000	3000	2000	1200	1000	800	600	500	400


DIP

DP1	OFF															
	ON	7.5KHz														
DP2	OFF	+														
	ON	+														






mm



PVR		
TM	/	
QH		
QC		
Im		

PU+		+5V	+5V- +24V	,	+5V
PU-	DP2=OFF				220
	DP2=CN		0 0.5V	4 5V	>2.5us
DR+		+5V	+5V- +24V	,	+5V
DR-	DP2=OFF				220
	DP2=CN	0.5V	4 5V		>2.5us

MF+		+5V	+5V- +24V	,	+5V
MF-					
TM					B -A
TM		TM		TM	
		50mA		50V	
RDY+					
RDY-					
AC		AC110V		250V	
U					
V					
W					

1. 250V
2. 5V 5V 6
3. 70 Q H 50
4. () Q C
5. PWR
6. TM